


(300mm)



# **FEATURES**

- Chromotherapy
   LED lighting in multiple colors, creating a therapeutic and relaxing atmosphere.
- Rain Spray
   Wide and even water flow, relaxing and spa-like sensation.
- Easy Clean Spray Nozzles
   Lime and calcium buildup prevention, hassle-free maintenance.
- Solid Stainless Construction
   Premium stainless steel, durable and rust-resistant.

# **SPECIFICATION**

- Recessed
- 64-color LED chromotherapy lighting
- Size: 11 13/16" (300mm)
- G 1/2" male connection
- Finish Availability: Polished Chrome/ Matte Black/Brushed Nickel/Brushed Gold

## **FLOW**

■ 1.75 / 2.5 GPM @ 80 PSI MAX


### WARRANTY


Parts and Finish: Limited lifetime warranty for residential, or 10 years for commercial purchasers and multi-family (apartments and condominiums) residential, in each case from the date of purchase.

# **STANDARDS**

■ ASME A112.18.1/CSA B125.1







# **FEATURES**

- Easy Wipe Clean
   Chemical-free cleaning, effortless
   maintenance on frequently touched areas.
- All Metal Construction Durable metal build, superior strength and long-lasting reliability.
- One Piece Installation
   Seamless design, no loose parts or on-site reassembly needed.

### **SPECIFICATION**

- 1/2" NPT male connection
- 16 nozzles, liquid silicone
- Size: 1 31/32" (50mm)
- Finish Availability: Polished Chrome/
  Matte Black/Brushed Nickel/Brushed Gold

### **FLOW**

■ 1.75 GPM @ 80 PSI MAX

## **WARRANTY**


Parts and Finish: Limited lifetime warranty for residential, or 10 years for commercial purchasers and multi-family (apartments and condominiums) residential, in each case from the date of purchase.

#### **STANDARDS**

■ ASME A112.18.1/CSA B125.1

CROZET SQUARE C90.HS01





### **FEATURES**

- Single Function
   Full spray coverage, designed for complete user immersion.
- Easy Clean Spray Nozzles Lime and calcium buildup prevention, hassle-free maintenance.
- Solid Stainless Construction
   Premium stainless steel, durable and rust-resistant.

# **SPECIFICATION**

- 1/2" NPT male connection
- Finish Availability: Polished Chrome/ Matte Black/Brushed Nickel/Brushed Gold
- Hose and holder not included

#### **FLOW**

■ 1.75 / 2.5 GPM @ 80 PSI MAX


## **WARRANTY**


Parts and Finish: Limited lifetime warranty for residential, or 10 years for commercial purchasers and multi-family (apartments and condominiums) residential, in each case from the date of purchase.


#### **STANDARDS**

■ ASME A112.18.1/CSA B125.1









## **FEATURES**

- Thermostatic Valve
   Precise temperature control, reliable operation, and improved user safety.
- 3 Outlets
   Two independent diverters, support three separate water flow positions.
- Corrosion-Resistant Finish Resilient coating, defense against corrosion and wear.
- All Metal Construction
   Durable metal build, superior strength and long-lasting reliability.

### **SPECIFICATION**

- Thermostatic cartridge locks temperature at 38°C/100°F
- Top & Middle knobs control diverter functions
- Bottom knob controls temperature
- Inlet 3/4" NPT female connection
- Outlet 1/2" NPT male connection
- Finish Availability: Polished Chrome/ Matte Black/Brushed Nickel/Brushed Gold
- Cartridges included

### **FLOW**

■ 9.7 GPM @ 80 PSI MAX

# WARRANTY


Parts and Finish: Limited lifetime warranty for residential, or 10 years for commercial purchasers and multi-family (apartments and condominiums) residential, in each case from the date of purchase.

#### **STANDARDS**

■ ASME A112.18.1/CSA B125.1

MH1500 C90.SH01





# **FEATURES**

• All Metal Construction Durable metal build, superior strength and long-lasting reliability.

# **SPECIFICATION**

- 1/2" NPT female connection
- 59"(1500mm) length hose
- Finish Availability: Polished Chrome/Matte Black/Brushed Nickel/Brushed Gold


# **WARRANTY**

Parts and Finish: Limited lifetime warranty for residential, or 10 years for commercial purchasers and multi-family (apartments and condominiums) residential, in each case from the date of purchase.

### **STANDARDS**

■ ASME A112.18.1/CSA B125.1





# **FEATURES**

- Integrated Holder
   Fixed design for easy and convenient hand shower storage.
- All Metal Construction Durable metal build, superior strength and long-lasting reliability.
- With Water Supply
   Built-in connection for seamless water flow and easy installation.

### **SPECIFICATION**

- 1/2" NPT connection
- Finish Availability: Polished Chrome/Matte Black/Brushed Nickel/Brushed Gold

### WARRANTY

Parts and Finish: Limited lifetime warranty for residential, or 10 years for commercial purchasers and multi-family (apartments and condominiums) residential, in each case from the date of purchase.

# **STANDARDS**

■ ASME A112.18.1/CSA B125.1